Journal of Economic Entomology

Volume 87
1994

Published by THE ENTOMOLOGICAL SOCIETY OF AMERICA

JEENAI 87: 1–1796 (1994)

Journal of Economic Entomology

Volume 87
Number 6
December 1994

GERALD M. GHIDIU
JACQUELINE L. ROBERTSON
L. T. WILSON
Coeditors

E. P. LAMPERT
Interim Editor

RICHARD ZACK
Book and Media Review Editor

RAYMOND L. EVERNGAM, JR.
Assistant Director, Communications

ASHLEY M. SMITH
Production Editor

MAGGIE A. MEITZLER
EILEEN D'ARAUJO
Manuscript Editors

EVERETT ROUNDY
Proofreader

EDITORIAL BOARD

MARLIN E. RICE, *Chair*
Ames, IA
Section E, 1994

SONNY B. RAMASWAMY
Mississippi State, MS
Section B, 1995

FRANK S. GUILLOT
Baton Rouge, LA
Section D, 1996

PAULA LEVIN MITCHELL
Rock Hill, SC
Section C, 1997

G. DAVID BUNTIN
Griffin, GA
Section F, 1998

BOARD OF REVIEWING EDITORS

JOSEPH G. MORSE
RICHARD T. ROUSH
BRUCE TABASHNIK
Insecticide Resistance and Resistance Management

WALTER DAUTERMAN
THOMAS C. SPARKS
Physiology, Toxicology, and Biochemistry

HAIGANOUSCH PREISLER
WILLIAM G. RUESINK
SUSAN P. WORNER
Biostatistics and Sampling

JAMES H. CANE
NORMAN E. GARY
Apiculture and Social Insects

STEVEN R. ALM
WENDY GELERNTER
RICHARD K. JANSSON
Biological and Microbial Control

CATHERINE M. BRISTOW
JANE L. HAYES
DAVID MARGOLIES
Ecology and Behavior

ARTHUR G. APPEL
SUSAN C. JONES
RICHARD W. WADLEIGH
Household and Structural Insects

JOHN B. CAMPBELL
KURT A. SCHWINGHAMMER
Veterinary Entomology

DENNIS KOPP
Extension Entomology

RUTH FRAMPTON
VICTORIA Y. YOKOYAMA
Commodity Treatment

ANDREW M. LIEBHOLD
RUSSELL G. MITCHELL
Forest Entomology

DAVID N. BYRNE
LARRY A. HULL
ALAN C. YORK
Horticultural Entomology

DAVID BOETHEL
RICHARD A. BUTTS
TIMOTHY J. KRING
CHARLES G. SUMMERS
Row Crops, Forage, and Small Grains

RICHARD T. ARBOGAST
J. LARRY ZETTLER
Stored-Product Entomology

WENDELL L. MORRILL
BILLY R. WISEMAN
Plant Resistance

GOVERNING BOARD

G. L. TEETES
College Station, TX
President

F. W. KNAPP
Lexington, KY
Past President

E. E. ORTMAN
West Lafayette, IN
President-Elect

J. H. SHADDY
Kirksville, MO
Secretary-Treasurer

M. B. STOETZEL
Beltsville, MD
Eastern Branch

C. OSETO
West Lafayette, IN
North Central Branch

K. S. PIKE
Prosser, WA
Pacific Branch

G. G. KENNEDY
Raleigh, NC
Southeastern Branch

T. W. FUCHS
San Angelo, TX
Southwestern Branch

J. E. MCPHERSON
Carbondale, IL
Section A

P. LAWRENCE
Gainesville, FL
Section B

M. E. IRWIN
Champaign, IL
Section C

E. P. CATTS
Pullman, WA
Section D

C. A. SUTHERLAND
Las Cruces, NM
Section E

M. K. HARRIS
College Station, TX
Section F

HARRY A. BRADLEY
Lanham, MD
Executive Director

© 1994, Entomological Society of America

The *Journal of Economic Entomology* (ISSN 0022-0493) is published bimonthly (February, April, June, August, October, and December) by the Entomological Society of America, 9301 Annapolis Road, Lanham, MD 20706-3115; (301) 731-4535; FAX (301) 731-4538. The journal is printed by Allen Press, Inc., 1041 New Hampshire Street, P.O. Box 368, Lawrence, KS 66044. Second-class postage is paid at Lanham, MD, and at additional mailing offices.

Postmaster: Send change of address forms to *Journal of Economic Entomology*, ESA, 9301 Annapolis Road, Lanham, MD 20706–3115.

Inquiries regarding content, subscriptions, advertising, availability of back issues, change of address, general business matters, and manuscripts should be sent to the Publications Office, ESA, 9301 Annapolis Road, Lanham, MD 20706–3115. For information about the preparation of manuscripts, authors are urged to consult "Information for Contributors," which is printed on the inside back cover of most issues, or to send for *Publications Policies & Guidelines for Manuscript Preparation*, which is available free of charge from ESA.

Articles report the results of research only. Mention of a pesticide or a commercial or proprietary product does not constitute an endorsement or recommendation for its use. Authors are entirely responsible for statements made, whether of fact or opinion. Registered names and trademarks, etc., used in this publication, even without specific indication thereof, are not to be considered unprotected by law.

Photocopies. Permission to photocopy journal articles for internal or personal use is granted by the Entomological Society of America provided that a fee is paid directly to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Individuals may make a single copy for personal use without charge. This consent does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. The fee code for users of the Transaction Reporting Service is 0022-0493/94/$2.00.

Subscriptions. 1994 prices: members, $25; nonmember individuals, $95; institution, $190. To the above add $20 for shipping outside the continental United States. Send payment to JEE Subscriptions, ESA, P.O. Box 177, Hyattsville, MD 20781. Inquiries should be directed to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706–3115; (301) 731-4535; FAX (301) 731-4538.

Back Issues	ESA member domestic	ESA member foreign	Non-member domestic	Non-member foreign
Single Issue	$10.40	$11.40	$34.00	$35.00
Volume	62.40	68.40	204.00	210.00

All prices include handling and shipping by surface mail. For a list of available issues, write to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706–3115. Back volumes are available in microform from University Microfilms International, 300 North Zeeb Road, Ann Arbor, MI 48106.

Cover: Micrograph of second-instar *Bemisia argentifolli* Bellows & Perring (Homoptera: Aleyrodidae) (previously sweetpotato whitefly type B *B. tabaci* (Gennadius)). Photograph by Chris Pooley (USDA–ARS, Beltsville, MD). From "Novel Sucrose Esters from *Nicotiana gossei*: Effective Biorationals Against Selected Horticultural Insect Pests," pp. 1600–1607.

CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 87, 1994

A

Abd-Elghafar, S. F., 872
Abdel-Aal, Y.A.I., 1157
Abo-Elghar, G. E., 872
Abou-Fakhr, E. M., 647
Acajabon, F., 1008
Adams, C., 514
Adams, C. J., 986
Adams, J. R., 72
Agnello, A. M., 148
Albert, P. J., 409
All, J. N., 1683
Allingham, P. G., 573
Alm, S. R., 775
Alston, D. G., 285, 311
Anderson, M. D., 245
Anderson, R. M., 826
Andrade, L. E., 904
Andress, E. R., 714
Appel, A. G., 1027
Appel, H. M., 1736
Archer, T. L., 1437
Argauer, R. J., 134
Armstrong, J. W., 120
Arnason, J. T., 1743
Arndt, D. J., 458
Arthur, F. H., 810, 1359, 1707
Attaway, J. A., 589
Avery, J. W., 1217

B

Badenhausser, I., 1689
Bahari, I. B., 1190
Baird, C. R., 27, 345
Baker, T. C., 667
Baldwin, E. A., 752
Barbour, J. D., 446
Barrows, E. M., 1488
Bartelt, R. J., 667
Bauce, É., 96
Beasley, C. A., 986
Beerwinkle, K. R., 793
Bell, K. O., 1696
Bell, M. R., 53, 58
Bennett, G. W., 941, 1537
Bentz, J.-A., 1600
Bergman, M. K., 458
Bergvinson, D. J., 1743
Berkebile, D. R., 1555
Bernard, G., 1325
Bernon, G. L., 661
Berry, R. E., 618
Bertsch, W., 1718
Beshear, R. J., 1622
Bevers, S. J., 436
Biddinger, D. J., 1423
Bishop, B. L., 168
Bitner, R. M., 345
Bjostad, L. B., 647
Bloch, G., 1147
Bloem, K., 1008
Bloem, S., 1008
Boethel, D. J., 1416
Boiteau, G., 1325
Bomberg, J., 1659
Borden, J. H., 1224
Bordovsky, D. G., 436
Bournoville, R., 1689
Bowling, R., 1696
Bradley, J. R., 1400
Bradley, S. J., 1477
Bramel-Cox, P. J., 500
Brandenburg, R. L., 446
Brenner, R. J., 885
Brewer, G. J., 245
Brødsgaard, H. F., 1141
Brooks, H. L., 1696
Brown, H. E., 1213
Brown, M. A., 7
Brown, R. E., 589
Broza, M., 923
Bruckner, P. L., 1373
Brunner, J. F., 285
Buhler, W. G., 638
Bull, D. L., 20, 1407
Buntin, G. D., 1097, 1683
Burd, J. D., 493
Burton, R. L., 493
Buta, J. G., 1600
Butkewich, S. L., 193
Butts, R. A., 1230
Byers, R. A., 1345
Byford, R. L., 1564
Bynum, Jr., E. D., 1437

C

Cabana, J., 96
Cali, A., 933
Callaham, S. B., 589
Calvin, D. D., 1345
Campbell, C. A., 752
Campbell, C. D., 465
Campbell, J. B., 714, 1555
Campbell, J. W., 1564
Campo, M. L., 775
Capinera, J. L., 366, 1205
Caprio, L. C., 431
Caprio, M. A., 525
Carey, J. R., 176
Carlini, E. J., 1423
Carlson, D. G., 667
Carpenter, A., 1251
Carpenter, J. E., 929
Carson, W. G., 1463
Carter, J. L., 999, 1004
Carter, M. R., 1004
Cartwright, B., 1641
Chalfant, R. B., 802
Chambers, D., 1008, 1217
Chandler, L. D., 212
Childers, C. C., 687
Chippendale, G. M., 1754
Christ, B., 723, 1384
Chun, J., 1754
Cilek, J. E., 275
Clark, L. E., 1647
Coakley, C. W., 1004
Coats, J. R., 1172
Cobey, S., 910
Cochran, D. G., 1, 280, 879, 899

Cockfield, S. D., 193, 787
Coderre, D., 39, 583
Coffelt, M. A., 382
Cohen, D. L., 134
Collins, R. D., 241
Colvin, J., 1502
Congdon, B. C., 1256
Converse, V., 610
Cooter, R. J., 1502
Cornelius, M. L., 705
Costa, H. S., 1616
Costanzo, J. P., 377
Côté, J.-C., 39
Coulson, R. N., 417
Cowles, R. S., 1014
Crane, S. E., 566
Croughan, T. P., 504
Cunningham, R. T., 957, 1217, 1470, 1494

D

Damsteegt, V. D., 1078
Davis, D. W., 1062
Davis, F. M., 1105
Davis, Jr., L. R., 1534
Davis, P. M., 1086
Dawson, C. G., 775
DeAngelis, J. D., 197
De Clercq, P., 76
De Cock, A., 1185
Degheele, D., 76, 1185
de Jong, J., 1312
Delate, K. M., 120
Delmas, J. C., 67
DeMark, J. J., 941
DeMilo, A. B., 957, 1494
Dennehy, T. J., 559, 566
Deval, R., 1689
Diawara, M. M., 514
Dik, M.T.A., 1312
Dittl, T., 787
Dougherty, E. M., 361
Dowdy, A. K., 1351, 1714
Downing, A. S., 643
Drummond, D. B., 417
Dueben, B. D., 904
Dunkel, F. V., 1718
Durand, J. L., 1689
Dutcher, J. D., 187, 951, 1632

E

East, D. A., 1641
Easton, C. S., 1180
Ebora, M. M., 1122
Ebora, R. V., 1122
Edelson, J. V., 1641
Eger, J. E., 687
Elberson, L. R., 1513
Elzen, G. W., 551
Epsky, N. D., 366, 904, 1008
Erb, W. Alan, 168
Erickson, B. J., 596
Erickson, Jr., E. H., 596

F

Fargues, J., 67
Farrar, Jr., R. R., 44
Feng, M. G., 1513
Feng, M.-G., 1237
Ferguson, C. S., 917
Ferris, I. G., 1180
Fisher, S. W., 318
Fitt, G. P., 929
Fitzgerald, J. W., 417
Fitzpatrick, S. M., 787
Flamm, R. O., 417
Flath, R. A., 1470
Fleischer, S. J., 999
Follett, P. A., 1400
Formusoh, E. S., 241
Fraser, S., 589
Frohlich, D. R., 27
Funderburk, J. E., 1622

G

Gabor, J. W., 1373
Garnsey, S. M., 1078
Gates, D. B., 1377
Gaugler, R., 605
Gebala, B., 1312
Gerling, D., 842
Ghidiu, G. M., 1298
Gibb, T. J., 638
Giesler, G., 223, 1318
Gillespie, A.J.R., 1022
Gillespie, J. E., 15
Gillespie, J. M., 371
Gillespie, R. L., 452
Giménez-Ferrer, R. M., 168
Giroux, S., 39
Glenn, D. C., 1165
Goh, D.K.S., 1157
Goodenough, J. L., 793
Goodman, C. L., 1754
Gottwald, T. R., 1078
Gould, F., 1400
Gould, W. P., 131
Grace, J. K., 269, 705, 1547
Grafius, E., 577
Grafton-Cardwell, E. E., 1046
Graves, J. B., 551
Gray, D. R., 1004
Greene, G. L., 275
Greenplate, J. T., 15
Grewal, P. S., 605
Grigarick, A. A., 1701
Guertin, C., 96, 409
Gunning, R. V., 1180
Guzman, A., 904, 1008

H

Hall, D. G., 687
Hallford, D. M., 1564
Hallman, G. J., 405, 752
Hamilton, G. C., 1298
Hamilton, R. I., 1743
Hamissou, M., 231
Hansen, J. D., 736
Hara, A. H., 1569
Hardee, D. D., 258
Hargrove, W. L., 1683
Harrewijn, P., 101
Harris, J. P., 1058
Harris, M. K., 1641
Harris, T., 148
Harte, E. M., 1217
Hartsell, P. L., 730, 1272
Harvey, T., 500, 1696

Hata, T. Y., 1569
Hatchett, J. H., 241, 1266, 1272
Hattingh, V., 31
Hayes, J. L., 53, 58, 1586
Haymer, D. S., 741
Haynes, J. W., 339
Heagler, A. M., 223, 1318
Heath, R. R., 904, 1008
Heather, N. W., 1256
Hein, G. L., 1513
Henderson, D., 787
Hepworth, G., 817
Hesler, L. S., 1701
Hibbard, B. E., 647
Higgins, R. A., 1091
Hoffman, E. R., 318
Hoffmann, A. A., 1165
Hogsette, J. A., 1033
Hollingsworth, R. G., 293
Horowitz, A. R., 866
Hosman, K. P., 1022
Hostetler, M. E., 885
Howard, C. R., 1477
Hoy, M. A., 525
Hsu, C.-L., 91, 653
Hu, B.K.S., 1569
Huang, H., 847, 1384
Hull, L. A., 1423
Hunter, M. D., 1423
Hurej, M., 187, 1632
Hutchison, W. D., 465

I

Im, D. J., 72
Inayatullah, C., 231
Ingle, S. J., 1574
Iraklidis, I., 84
Isaac, B. G., 15
Ishaaya, I., 866, 1185
Isman, M. B., 1580

J

Jenkins, E. B., 775
Jerie, P. H., 1608
Jessup, A. J., 127
Jewll, D. C., 1743
Johnson, D. E., 535
Johnson, J. B., 1513
Johnson, K.J.R., 1332
Johnson, M. W., 293, 1616
Johnson, R. H., 458
Jones, A., 181
Jones, V. P., 120, 431, 781, 1278,, 1441
Judd, G.J.R., 1224
Juvik, J. A., 482

K

Kaakeh, W., 951
Kamble, S. T., 541
Kaneko, R. T., 1569
Karg, G., 1477
Kaufman, P. E., 377
Keaveny, D., 1659
Keever, D. W., 546
Kemp, D. H., 573
Kester, K. M., 134
Kirfman, G. W., 1298
Kirsch, P., 1198
Klotz, J. H., 1534
Klungness, L. M., 975
Knight, A. L., 103, 285
Knowles, C. O., 872
Koehler, P. G., 699, 709, 1033
Kofoid, K. D., 500
Kolmes, S. A., 559
Kraemer, M. E., 252
Krysan, J. L., 858
Kushnak, G. D., 1373

L

Lampert, E. P., 1157
Lance, D. R., 1377
Lastra, R., 1078
Lavallée, R., 96
LeBlanc, P. V., 766
Learmount, J., 894
Lebrun, R. A., 67
Lee, Jr., R. E., 377
Lee, M. R., 377
Lee, R. F., 1078
Legg, D. E., 1513
Leidy, R., 1400
Leonard, B. R., 551
Leonhardt, B. A., 1217
Lerin, J., 1689
Lescano, H. G., 1256
Lewis, L. C., 631
Liedo, P., 176
Lin, C. P., 821
Lingren, P. D., 371, 1653, 1674
Linscombe, S. D., 476
Liquido, N. J., 1470
Long, J. W., 566
Lopez, Jr., J. D., 793, 1653, 1674
Lowe, A., 1659
Lusby, W. R., 1600
Lynch, D. M., 1488

M

MacFarlane, J. R., 817
Mack, T. P., 1622
Mackey, B., 653
Mahr, D. L.', 193, 787
Makela, M. E., 993
Mallory, L. L., 589
Maltais, P. M., 766
Mangan, R. L., 1574
Manners, M. M., 1507
Marini, R. P., 1302
Martel, P., 39
Martin, S. H., 551
Martinez, A. J., 202
Maxwell, D. P., 1285, 1291
McBrien, H. L., 1224
McCoy, C. W., 566, 1507
McCracken, D. V., 1683
McDonald, G., 1165
McGaughey, W. H., 535, 834, 1351
McGovern, T. P., 957, 1470, 1494
McGuire, M. R., 452, 631
McIntosh, A. H., 1754
McLaughlin, J. R., 1198
McLaughlin, N. B., 610

McLeod, P. J., 1627
McNab, S. C., 1608
McNew, R. W., 7
McPheron, B. A., 1423
Meagher, Jr., R. L., 1332
Mebrahtu, T., 252
Mehta, P., 1285, 1291
Meola, R. W., 1407
Messing, R. H., 293, 975, 1455
Middleham, K., 680
Mihm, J. A., 1743
Miller, E., 380, 1659
Miller, G. T., 730, 747, 1266, 1272
Miller, H., 493
Miller, R. W., 116, 402
Miller, T. A., 680, 965
Mills, Jr., G. D., 116
Mirkes, K. A., 231
Misener, G. C., 1325
Mitchell, E. R., 1198
Mitchell, M. J., 933
Mitchell, R. G., 144
Mitchell, S., 91
Miyata, T., 326
Mollema, C., 1312
Montandon, R., 1647
Montoya-Lerma, J., 1129
Moreno, D. S., 202
Mori, S. R., 426
Mornhinweg, D. W., 493
Morrill, W. L., 1373
Morris, O. N., 610
Morrison, W. P., 1696
Moss, J. I., 1534
Mulla, M. S., 1133
Mullinix, B. G., 212
Mullis, Jr., C. H., 1070
Mutschler, M. A., 482

N

Nakhla, M. K., 1291
Nakhla, M. K., 1285
Naumann, K., 1580
Naumann, K., 1595
Navas, V.E.S., 1622
Neal, Jr., J. W., 1600
Needham, G. R., 910
Nelsen, T. C., 631
Neven, L. G., 1262
N'Guessan, F. K., 476, 504, 1318
Nguyen, S. N., 301
Niblett, C. L., 1078
Nigg, H. N., 589
Nisperos-Carriedo, M.O., 752
Nowierski, R. M., 1237, 1513
Nuckle, J. R., 766

O

Ohm, H. W., 1113
Oi, D. H., 623
Olien, W. C., 1058
Oliveria, F. L., 417
Olson, S. M., 1622
Omoto, C., 566
Ono, M., 1430
Oraze, M. J., 1701

P

Pair, S. D., 929
Palrang, A. T., 1701
Palumbo, J. C., 1070
Patel, S., 1502
Patten, K., 787
Patterson, F. L., 1113
Patterson, R. S., 699, 1534
Peach, M. L., 311
Peairs, F. B., 1513
Pelletier, Y., 1325
Pendleton, B. B., 993
Pereira, R. M., 623
Perez-Eguia, E., 1564
Pershing, J. C., 15
Peterson, G. C., 826
Peterson, S. S., 345
Pfeiffer, D. G., 1302
Phillips, J. M., 7
Pickel, C., 1636
Pickens, L. G., 116
Pittarelli, G. W., 1600
Plapp, Jr., F. W., 1437
Podgwaite, J. D., 134
Poole, A., 787
Porter, D. R., 493
Potter, M. A., 1251
Prabhakaran, S. K., 541
Prinsen, M. J., 15
Proshold, F. I., 661
Proshold, F. I., 371
Pulley, P. E., 417
Purcell, J. P., 15
Purcell, M. F., 975, 1455

Q

Qin, J., 334
Quesada, B. L., 1129
Quiros, C. F., 514
Quisenberry, S. S., 223, 476, 504, 1318, 1761

R

Rama Raje Urs, N. V., 245
Rangappa, M., 252
Rankin, L. J., 1580
Ratcliffe, R. H., 1113
Raulston, J. R., 371, 1213, 1674
Ravlin, F. W., 999, 1004
Raymer, P. L., 1097
Reed, G. L., 618
Reid, B. L., 1537
Reissig, W. H., 148
Reyes, F. J., 1070
Rice, M. E., 220
Rice, P. J., 1172
Rice, W. C., 1754
Richman, J. S., 1430
Ridgway, R. L., 44, 134
Riedl, H., 1441, 1450
Riley, P. J., 1564
Riviello, M. S., 202
Rocha-Peña, M. A., 1078
Robertson, J. L., 346, 589
Rodcharoen, J., 1133
Roe, R. M., 1157
Roehrdanz, R. L., 676

Roger, C., 583
Rogers, J. S., 1507
Rossignol, P. A., 197, 618
Rugg, D., 573
Russell, W. R., 1627

S

Safranski, G. G., 1113
Sakata, K., 326
Sam, Y., 559
Sammataro, D., 910
Sammons, R. D., 15
Samoil, K. S., 193
Samways, M. J., 31
Sanchez-Martinez, G., 1038
Saunders, M., 847, 1384
Savopoulou-Soultani,M., 84
Sayers, A. C., 458
Schaalje, G. B., 1230
Scheerens, J. C., 168
Scheffrahn, R. H., 398
Schotzko, D. J., 1761
Schouest, Jr., L. P., 965
Schowalter, T. D., 758
Schroeder, P. C., 917
Schubert, K. R., 1754
Schultz, J. C., 1736
Schultz, P. B., 382
Scott, D. W., 1022
Seal, D. R., 802
Selvan, S., 605
Sether, D. M., 197
Shanks, C., 787
Shannag, H. K., 1205
Shanower, T. G., 1749
Shapiro, J. A., 482
Shapiro, M., 72, 134, 356, 361
Sharp, J. L., 131, 736
Shasha, B. S., 452, 631
Shaver, T. N., 371, 1213
Shearer, P. W., 1441, 1450
Shelton, M. D., 1062
Shieh, J.-N., 618
Shields, E. J., 917
Siegfried, B. D., 1430
Simeoni, A. E., 775
Simpson, S. E., 589
Sinai, P., 842
Sing, S. E., 1718
Sirota, J. M., 577
Sison, M.L.J., 1749
Slessor, K. N., 1595
Sloderbeck, P., 1696
Slosser, J. E., 436, 1647
Smilowitz, Z., 723, 847, 1384
Smirle, M. J., 1595
Smith, B. H., 910
Smith, B. J., 1058
Smith, J. W., 339
Smith, Jr., J. W., 1332
Sneh, B., 923
Solsten, R. T., 15
Sower, L. L., 144
Sowers, D. S., 1302
Spencer, J., 653
Spurgeon, D. W., 371
Sriharan, S., 1718
Stafilidis, J. E., 84
Stark, J. D., 1455
Staten, R. T., 680, 1659
Stavridis, D. G., 84
Steelman, C. D., 7
Stein, J. D., 426
Sticklen, M. B., 1122
Stimac, J. L., 623
Stocker, A., 1251
Stoetzel, M. B., 1078
Stonard, R. J., 15
Strom, B. L., 1586
Strong, C. A., 699
Su, N.-Y., 389, 398
Suckling, D. M., 1477
Sumner, H. R., 212
Swain, K. M., 417
Sweeden, M. B., 1627

T

Tabashnik, B. E., 293, 834
Talekar, N. S., 821
Tanaka, T., 741
Taylor, P. L., 1113
Teetes, G. L., 826, 993, 1366
Tenbrink, V. L., 1569
Tepedino, V. J., 27, 311
Teramae, C., 741
Thindwa, H. P., 1366
Thomas, G. D., 1555
Thomas, J. D., 1416
Thompson, D. R., 573
Thompson, R. A., 223, 476, 1318
Thorpe, K. W., 134
Throne, J. E., 810
Tokoro, M., 398
Tolley, G., 7
Tomalak, M., 605
Torgersen, T. R., 1022
Toscano, N. C., 305
Trahan, G. B., 223
Tran, M., 15
Trottier, M., 610
Trudel, R., 96
Trumble, J. T., 514, 1463

U

Ullman, D. E., 293, 1616
Unruh, T. R., 858

V

Vail, K. M., 108
Valles, S. M., 709
Vandenberg, J. D., 350
van Dijken, F. R., 1312
Varela, L. G., 1441
Vargas, R. I., 91, 653
Vassilou, A., 84
Vaughn, J. L., 72
Vehrs, S.L.C., 1046
Venables, L., 134
Vetter, R. S., 667
Villani, M. G., 917, 1014
Vincent, C., 39, 583
Vittum, P. J., 162
Vlug, H. J., 101

W

Wagner, M. R., 1038
Walsh, D. B., 1636

Walsh, W. A., 91, 653
Weathersbee, III, A. A., 258
Weaver, D. K., 1718
Webb, R. E., 134, 356
Webb, S. E., 1205
Webster, J. A., 231
Webster, T. C., 601
Weissling, T. J., 103
Weisz, R., 723, 847, 1384
Welch, N. C., 1636
Wells, C. D., 1718
Welter, S. C., 1441
White, G. B., 134
White, K. K., 514, 1463
Whitehand, L., 653
Wilde, G. E., 241, 500, 1696
Williams, D. F., 108
Williams, D. G., 1608
Williams, W. P., 1105
Wilson, L. J., 1665, 1726
Winston, M. L., 1595
Witcosky, J., 134
Wolf, S. S., 1488
Wolff, M. A., 1157
Wood, L. A., 623
Wool, D., 1147
Wright, S., 1251
Wyman, J. A., 377, 596, 1285, 1291

X

Xu, G., 20, 334

Y

Yamamoto, R. T., 1547
Yeh, T., 775
Yokomi, R. K., 1078
Yokoyama, V. Y., 730, 747, 1266, 1272
Yoshida, H. A., 305
Young, T. E., 482
Yu, S. J., 301

Z

Zalom, F. G., 181, 1636
Zeng, Z., 1237
Zettler, J. L., 546
Zhao, R., 1534
Zhu, Y.-C., 1091

CUMULATIVE SUBJECT INDEX
Journal of Economic Entomology
Volume 87, 1994

α-ionol, *Bactrocera latifrons*, 1470
  latilure, 1470
4-allylanisole,
  antiaggregation behavior, 1586
  Scolytidae, 1586
6-methoxy-2-benzoxazol inone, *Diabrotica virgifera virgifera*, 647
  tolerance, 647
abamectin, German cockroach, 899
  resistance, 899
Abies concolor, *Orgyia pseudotsugata*, 426
  systemic insecticides, 426
Acarapis woodi, *Apis mellifera*, 910
  vegetable oil, 910
Acari, behavior, 559
  pesticide resistance, 559
acaricides, *Panonychus ulmi*, 148
  petroleum oil, 148
acephate, cowpea, 1627
  thrips, 1627
acetylcholinesterase,
  affinity chromatography,20
  Haematobia irritans, 20
action thresholds,
  Blattella germanica, 1537
  juvenoids, 1537
Acyrthosiphon pisum,
  alfalfa, 1689
  water deficit, 1689
adjuvant, Lepidoptera,44
  phagostimulant, 44
  adult control,
  bollworm, 1653
  corn earworm, 1653
adult emergence,
  bollworm, 1674
  corn earworm, 1674
affinity chromatography,
  acetylcholinesterase, 20
  Haematobia irritans, 20
Agrotis ipsilon,
  biological control, 638
  entomopathogenic nematodes, 638
  Spodoptera frugiperda, 366
  Steinernema carpocapsae, 366
alfalfa, *Acyrthosiphon pisum*, 1689
  water deficit, 1689
Amyelois transitella (Walker), navel orangeworm, 1062
  sunburn, 1062
Anastrepha, *Ceratitis capitata*, 1008
  protein baits, 1008
Anastrepha fruit flies,
  demography, 176
  mass rearing, 176
Anastrepha ludens,
  cyromazine, 202
  phytotoxicity, 1574
  quarantine, 1574
  reproduction, 202
Anastrepha suspensa,
  heat, 736
  heat tolerance, 405
  hydrocool, 131
  oral toxicity, 589
  quarantine, 736
  quarantine security, 131
  quarantine treatment, 405
  topical toxicity, 589
Anisota senatoria,
  dispersion, 382
  distribution, 382
Anthonomus grandis grandis, cuticle
  hardness, 339
  diflubenzuron, 339
antiaggregation behavior,
  4-allylanisole, 1586
  Scolytidae, 1586
Aonidiella aurantii,
  Aonidiella citrina, 1046
  insecticide resistance, 1046
Aonidiella citrina,
  Aonidiella aurantii, 1046
  insecticide resistance, 1046
aphid, aphid behavior, 187
  Bacillus thuringiensis-transgenic potato, 618
  canola, 1097
  control, 15
  electronic monitoring, 618
  insecticide, 187
  Lipaphis erysimi, 1097
  plant resistance, 231
  pubescence, 231
  sucrose, 15
aphid behavior, aphid, 187
  insecticide, 187
Aphis gossypii, *Bemisia tabaci*, 1616
  cotton, 258
  cucurbit crops, 293
  cucurbits, 1616
  host-plant resistance, 258
  insecticide resistance, 293

Apis mellifera, *Acarapis woodi*, 910
fumagillin, 601
honey bee, 596
Nosema apis, 601
Phaseolus, 596
pheromone, 1595
pollination, 1595
vegetable oil, 910
apple, organophosphate insecticide, 285
resistance, 285
area-wide evaluation, baculovirus, 58
Heliothis/ Helicoverpa, 58
artificial diet, *Pissodes strobi*, 96
rearing, 96
artificial rearing, *Lobesia botrana*, 84
nutrient balance, 84
Ascosphaera aggregata, insect mycosis, 350
Megachile rotundata, 350
attractant, *Ceratitis capitata*, 1217, 1494
lure, 1494
panel traps, 1217
avocado, *Bactrocera tryoni*, 127
quarantine treatment, 127
Bacillus sphaericus, *Culex quinquefasciatus*, 1133
resistance, 1133
Bacillus thuringiensis, caffeine, 610
Choristoneura occidentalis, 1022
Coccinellidae, 39
Coleomegilla maculata, 39
economics, 1463
egg masses, 1298
European corn borer, 452
formulation, 452
heritability, 834
insecticide resistance, 535, 834
integrated pest management, 1463
Leptinotarsa decemlineata, 1298
Lymantria dispar, 1736
Mamestra configurata, 610
oak tannins, 1736
Ostrinia nubilalis, 631
Plodia interpunctella, 535
sampling, 1022
starch encapsulation, 631
Bacillus thuringiensis-transgenic potato, aphid, 618
electronic monitoring, 618
backcross sterility, *Heliothis*, 676
mitochondrial DNA, 676
Bactrocera latifrons, α-ionol, 1470
latilure, 1470
Bactrocera tryoni, avocado, 127
gamma irradiation, 1256
quarantine treatment, 127, 1256
baculovirus, area-wide evaluation, 58
cotton bollworm, 53
Heliothis/ Helicoverpa, 58
tobacco budworm, 53
bait toxicant, *Coptotermes formosanus*, 398
Reticulitermes flavipes, 398
beef cattle, Brahman resistance, 7
Haematobia irritans (L.), 7
beef heifers, *Haematobia irritans*, 1564
physiological response, 1564
beet armyworm, cabbage, 1641
damage, 1641
host plant resistance, 482
tomato fruitworm, 482
behavior, Acari, 559
Blattella germanica, 699, 941
Cydia pomonella, 103
harborage, 699
nymphs, 941
pesticide resistance, 559
trapping, 103
behavioral resistance, *Blattella germanica*, 885
physiological resistance, 885
Bemisia tabaci, *Aphis gossypii*, 1616
buprofezin, 866
cucurbits, 1616
Encarsia, 842
parasitoids, 842
pyriproxyfen, 866
tomato mottle geminivirus, 1285
tomato yellow leaf curl geminivirus, 1285, 1291
transmission, 1291
bendiocard resistance, *Blattella germanica*, 1
gene frequency, 1
binomial sampling, *Frankliniella* spp., 1622
tobacco thrips, 1622

binomial sequential sampling, *Diuraphis noxia*, 1513
small grains, 1513
bioassay, *Helicoverpa zea*, 1754
midgut enzymes, 1754
Phyllonorycter elmaella, 1450
resistance, 1450
biological control, *Agrotis ipsilon*, 638
Chilocorus spp., 31
citrus, 31
cucurbit pests, 1205
Diaphania nitidalis, 1205
entomopathogenic nematodes,605,638
Japanese beetle, 605
microsporidia, 933
parasite, 933
biology, *Conoderus rudis*, 802
sweet potato, 802
biotype, greenbug, 1696
Mayetiola destructor, 1113
occurrence, 1696
wheat breeding, 1113
Blattella germanica, action thresholds, 1537
behavior, 699, 941
behavioral resistance, 885
bendiocard resistance, 1
carbon dioxide, 709
esterase, 541
gene frequency, 1, 280
harborage, 699
isozyme, 541
juvenoids, 1537
nymphs, 941
physiological resistance, 885
pyrethrins resistance, 280
pyrethroids, 879
resistance, 879
toxicity, 709
blister beetles, cantharidin, 1091
Epicauta, 1091
boll weevil, desiccant, 1647
plant growth regulator, 1647
bollworm, adult control, 1653
adult emergence, 1674
corn earworm, 1653, 1674
boric acid, *Musca domestica*, 1033
polybor 3, 1033
boron compounds, ectoparasites, 1534
toxic baits, 1534
Brahman resistance, beef cattle, 7
Haematobia irritans (L.), 7
broccoli, economic threshold, 766
lepidoptera, 766
buprofezin, *Bemisia tabaci*, 866
pyriproxyfen, 866
cabbage, beet armyworm, 1641
damage, 1641
Cacopsylla pyricola, diapause, 858
insecticide tolerance, 858
caffeine, *Bacillus thuringiensis*, 610
Mamestra configurata, 610
Campylomma verbasci, monitoring, 1224
pheromone, 1224
canola, aphids, 1097
Lipaphis erysimi, 1097
cantharidin, blister beetles, 1091
Epicauta, 1091
capture time, *Pectinophora gossypiella*, 986
pheromone trap, 986
carbofuran, cultural control, 223
Lissorhoptrus oryzophilus, 223
carbon dioxide, *Blattella germanica*, 709
toxicity, 709
Carpophilus, dose, 667
pheromone, 667
central Appalachian broadleaf forest, diflubenzuron, 1488
Vespidae, 1488
Cephus cinctus, host plant resistance, 1373
wheat, 1373
Ceratitis capitata, *Anastrepha*, 1008
attractant, 1217, 1494
diets, 91
irradiation, 904
life history traits, 91
lure, 1494
panel traps, 1217
pheromone, 904
protein baits, 1008
release–recapture, 1377
trimedlure, 1377
chemigation, corn earworm, 212
fall armyworm, 212
Chilocorus spp., biological control, 31
citrus, 31
Chironomus riparius, fitness, 318
population, 318
chitin synthesis inhibitor, eastern subterranean termite, 389

Formosan subterranean termite, 389
Choristoneura occidentalis, *Bacillus thuringiensis*, 1022
sampling, 1022
Chrysodeixes (Plusia) chalcites, *Heliothis armigera*, 923
Phthorimaea operculella, 923
citrus, biological control, 31
Chilocorus spp., 31
citrus tristeza virus, insect virus vectors, 1078
Toxoptera citricida, 1078
Coccinellidae, *Bacillus thuringiensis*, 39
Coleomegilla maculata, 39
pesticides, 583
predation efficiency, 583
Coccus viridis, quarantine, 1569
thermal death, 1569
cold storage, *Cydia pomonella*, 1262
heat treatment, 1262
cold-hardiness, ice nucleating bacteria, 377
Leptinotarsa decemlineata, 377
Coleomegilla maculata, *Bacillus thuringiensis*, 39
Coccinellidae, 39
Colorado potato beetle, crop rotation, 723
pesticide, 723
plastic trench barrier, 1325
potato, 1325
concentration-response, *Haematobia irritans exigua*, 573
ivermectin, 573
cone and seed insects, *Pseudotsuga*, 758
seed production, 758
confined cattle, pteromalid parasitoids, 714
stable fly, 714
Conoderus rudis, biology, 802
sweet potato, 802
Contarinia schulzi, *Helianthus*, 245
tolerance, 245
Contarinia sorghicola, mixed plantings, 826
nonpreference resistance, 826
population dynamics, 993
simulation model, 993
control, aphid, 15
sucrose, 15
controlled atmosphere, disinfestation, 1251
fruit wax, 752
modified atmosphere, 752
Thrips obscuratus, 1251
Coptotermes formosanus, bait toxicant, 398
disodium octaborate tetrahydrate, 1547
Iridomyrmex glaber, 705
Reticulitermes flavipes, 398
semiochemicals, 705
wood preservative, 1547
corn, degradation, 810
Deroceras reticulatum, 1345
Diatraea grandiosella, 1105
Helicoverpa armigera, 1165
insecticide resistance, 1165
mollusca, 1345
pirimiphos-methyl, 810
plant resistance, 1105
Sitophilus zeamais, 1359
Tribolium castaneum, 1359
corn earworm, adult control, 1653
adult emergence, 1674
bollworm, 1653, 1674
chemigation, 212
fall armyworm, 212
corn insects, soil insects, 220
white grubs, 220
cotton, *Aphis gossypii*, 258
host-plant resistance, 258
Pectinophora gossypiella, 965
plant resistance, 1726
temperature, 965
Tetranychus urticae, 1665, 1726
within-plant distribution, 1665
cotton bollworm, baculovirus, 53
tobacco budworm, 53
cover crops, *Diabrotica undecimpunctata howardi*, 1683
southern corn rootworm, 1683
cowpea, acephate, 1627
thrips, 1627
cranberries, phenology, 193
Rhopobota naevana, 787
Tortricidae, 193

rotation, Colorado potato beetle, 723
pesticide, 723
Cryptophlebia illepida, *Cryptophlebia ombrodelta*, 781, 1278
macadamia, 781
oviposition, 1278
Cryptophlebia ombrodelta, *Cryptophlebia illepida*, 781, 1278
macadamia, 781
oviposition, 1278
cucurbit crops, *Aphis gossypii*, 293
insecticide resistance, 293
cucurbit pests, biological control, 1205
Diaphania nitidalis, 1205
cucurbits, *Aphis gossypii*, 1616
Bemisia tabaci, 1616
Culex quinquefasciatus, *Bacillus sphaericus*, 1133
resistance, 1133
cultivar, insecticides, 436
planting date, 436
cultural control, carbofuran, 223
Lissorhoptrus oryzophilus, 223, 1318, 1701
planting date, 1318
rice, 1701
cuticle hardness, *Anthonomus grandis grandis*, 339
diflubenzuron, 339
Cydia pomonella, behavior, 103
cold storage, 1262
fumigation, 730
heat treatment, 1262
Prunus spp., 730
trapping, 103
cyromazine, *Anastrepha ludens*, 202
reproduction, 202
cytoplasmic polyhedrosis virus, *Lymantria dispar*, 72
nuclear polyhedrosis virus, 72
Dacus dorsalis, lures, 957
structure-activity, 957
dairy cattle, *Musca domestica*, 402
Stomoxys calcitrans, 402
damage, beet armyworm, 1641
cabbage, 1641
Dendranthema, 1312
Frankliniella occidentalis, 1312
degradation, corn, 810
pirimiphos-methyl, 810
demography, *Anastrepha* fruit flies, 176
mass rearing, 176
Dendranthema, damage, 1312
Frankliniella occidentalis, 1312
Dendroctonus frontalis, dispersal, 417
suppression tactics, 417
Dendroctonus ponderosae, neem, 1580
translocation, 1580
Deroceras reticulatum, corn, 1345
mollusca, 1345
desiccant, boll weevil, 1647
plant growth regulator, 1647
development, overwintering, 1555
Stomoxys, 1555
Diabrotica undecimpunctata howardi, cover crops, 1683
southern corn rootworm, 1683
Diabrotica virgifera virgifera, 6-methoxy-2-benzoxazolinone, 647
tolerance, 647
diagnostic dose, fumigant, 546
phosphine, 546
diapause, *Cacopsylla pyricola*, 858
insecticide tolerance, 858
Diaphania nitidalis, biological control, 1205
cucurbit pests, 1205
Diatraea grandiosella, corn, 1105
plant resistance, 1105
Diatraea saccharalis, insect control, 1332
sugarcane stalkborers, 1332
dichlorvos, permethrin, 275
Stomoxys calcitrans, 275
dicofol, *Phyllocoptruta oleivora*, 566
resistance, 566
diets, *Ceratitis capitata*, 91
life history traits, 91
diflubenzuron, *Anthonomus grandis grandis*, 339
central Appalachian broadleaf forest, 1488
cuticle hardness, 339
Vespidae, 1488
disinfestation, controlled atmosphere, 1251

Thrips obscuratus, 1251
disodium octaborate tetrahydrate, *Coptotermes formosanus*, 1547
wood preservative, 1547
dispersal, *Dendroctonus frontalis*, 417
parasitoid, 975
suppression tactics, 417
tephritid, 975
dispersion, *Anisota senatoria*, 382
distribution, 382
Phyllocoptruta oleivora, 687
sampling, 687
distribution, *Anisota senatoria*, 382
dispersion, 382
Diuraphis noxia, binomial sequential sampling, 1513
Hordeum vulgare, 493
host plant resistance, 241, 493
modes of resistance, 241
plant resistance, 1761
sampling, 1237
sequential sampling, 1230
small grains, 1237, 1513
spatial distribution, 1230
wheat, 1761
DNA probes, repetitive DNA, 741
Tephritidae, 741
dose, *Carpophilus*, 667
pheromone, 667
eastern subterranean termite, chitin synthesis inhibitor, 389
Formosan subterranean termite, 389
economic injury level, European corn borer, 458
fruit quality, 1302
inbred genotype, 458
Panonychus ulmi, 1302
Pemphigus betae, 465
root rating, 465
silage, 1086
western corn rootworm, 1086
economic threshold, broccoli, 766
lepidoptera, 766
economics, *Bacillus thuringiensis*, 1463
integrated pest management, 1463
ectoparasites, boron compounds, 1534
toxic baits, 1534
egg mass sampling, gypsy moth, 1004
Lymantria dispar, 1004
egg masses, *Bacillus thuringiensis*, 1298
Leptinotarsa decemlineata, 1298
electroantennogram, *Epiphyas postvittana*, 1477
pheromone, 1477
electronic monitoring, aphid, 618
Bacillus thuringiensis-transgenic potato, 618
Encarsia, *Bemisia tabaci*, 842
parasitoids, 842
entomopathogen, *Leptinotarsa decemlineata*, 67
potato leaf consumption, 67
entomopathogenic fungi, microbial control, 623
Solenopsis invicta, 623
entomopathogenic nematodes, *Agrotis ipsilon*, 638
biological control, 605, 638
Heterorhabditis bacteriophora, 643, 917
irrigation, 643
Japanese beetle, 605
Otiorhynchus ligustici, 917
environmental parameters, migration, 1351
postharvest management, 1351
Environmental Protection Agency, insect pathogens, 269
Reticulitermes, 269
Eoreuma loftini, mating, 1213
pheromone, 1213
reproductive biology, 371
spermatophore, 371
Epicauta, blister beetles, 1091
cantharidin, 1091
Epilachna varivestis, insect resistance, 252
soybeans, 252
Epiphyas postvittana, electroantennogram, 1477
pheromone, 1477
esterase, *Blattella germanica*, 541
isozyme, 541
malathion resistance, 326
planthopper, 326

resistance, 1430
Schizaphis graminum, 1430
Eucosma sonomana,
impact, 144
mating disruption, 144
European corn borer,
Bacillus thuringiensis, 452
economic injury level, 458
formulation, 452
inbred genotype, 458
Phthorimea operculella, 1122
transgenic potato, 1122
expert system, integrated pest management, 1384
potato, 1384
extracts, *Tagetes minuta*, 1718
Zabrotes subfasciatus, 1718
fall armyworm,
chemigation, 212
corn earworm, 212
feeding, macadamia nuts, 431
Nezara viridula, 431
feeding behavior,
Lepidoptera, 409
spruce budworm, 409
fenoxycarb,
Monomorium pharaonis, 108
Pharaoh ant, 108
fenvalerate, *Heliothis virescens*, 872
resistance, 872
fitness, *Chironomus riparius*, 318
population, 318
flight, lesser grain borer, 1714
stored-products, 1714
Formosan subterranean termite, chitin synthesis inhibitor, 389
eastern subterranean termite, 389
formulation, *Bacillus thuringiensis*, 452
European corn borer, 452
Fragaria, resistance-tolerance, 168
Tetranychus urticae, 168
Frankliniella occidentalis, damage, 1312
Dendranthema, 1312
insecticide resistance, 1141
residue test, 1141
Frankliniella spp.,
binomial sampling, 1622
infusion, 446
thrips, 446
tobacco thrips, 1622
fruit quality, economic injury level, 1302
Panonychus ulmi, 1302
fruit wax, controlled atmosphere, 752
modified atmosphere, 752
fumagillin, *Apis mellifera*, 601
Nosema apis, 601
fumigant, diagnostic dose, 546
phosphine, 546
fumigation, *Cydia pomonella*, 730
Mayetiola destructor, 1272
Prunus spp., 730
quarantine, 1272
gamma irradiation,
Bactrocera tryoni, 1256
quarantine treatment, 1256
gene frequency,
bendiocard
resistance, 1
Blattella germanica, 1, 280
pyrethrins resistance, 280
genetics, insecticide resistance, 301
Spodoptera frugiperda, 301
German cockroach,
abamectin, 899
resistance, 899
gossyplure,
Pectinophora gossypiella, 680
sterile insect technique, 680
grape root borer,
Muscadine grape, 1058
Vitacea polistiformis, 1058
greenbug, biotype, 1696
insecticide resistance, 1437
occurrence, 1696
Schizaphis graminum, 1437
greenhouse pests,
Nicotiana gossei, 1600
sucrose esters, 1600
gypsy moth, egg mass sampling, 1004
Lymantria dispar, 999, 1004
sequential egg mass sampling, 999
Haematobia irritans exigua, concentration-response, 573
ivermectin, 573
acetylcholinesterase, 20
affinity chromatography, 20
beef heifers, 1564
physiological response, 1564

Haematobia irritans (L.), beef cattle, 7
Brahman resistance,7
harborage, behavior, 699
Blattella germanica, 699
heat, *Anastrepha suspensa*, 736
quarantine, 736
heat tolerance, *Anastrepha suspensa*, 405
quarantine treatment, 405
heat treatment, cold storage, 1262
Cydia pomonella, 1262
Helianthus, *Contarinia schulzi*, 245
tolerance, 245
Helicoverpa, Ichneumonidae, 929
metabolism, 1180
methyl parathion, 1180
Spodoptera, 929
Helicoverpa armigera, corn, 1165
insecticide resistance, 1165
larval food, 1749
Lepidoptera, 1502
mating, 1502
pigeonpea, 1749
Helicoverpa zea, bioassays, 1754
Heliothis virescens, 793
midgut enzymes, 1754
trap, 793
Heliothis armigera, *Chrysodeixes (Plusia) chalcites*, 923
Phthorimaea operculella, 923
Heliothis virescens, fenvalerate, 872
Helicoverpa zea, 793
insecticide resistance, 551
natural insecticide, 305
nutritional index, 305
resistance, 872
tobacco budworm, 551
trap, 793
Heliothis, backcross sterility, 676
mitochondrial DNA, 676
protease, 334
tannic acid, 334
Heliothis/Helicoverpa, area-wide evaluation, 58
baculovirus, 58
heritability, *Bacillus thuringiensis*, 834
insecticide resistance, 834
Heterorhabditis bacteriophora, entomopathogenic nematodes,643,917
irrigation, 643
Otiorhynchus ligustici, 917
Hippodamia convergens, *Monelliopsis pecanis*, 1632
toxicity, 1632
honey bee, *Apis mellifera*, 596
Phaseolus, 596
Hordeum vulgare, *Diuraphis noxia*, 493
host plant resistance, 493
horticulture, insect fragments, 181
tomato, 181
host plant resistance, *Aphis gossypii*, 258
beet armyworm, 482
Cephus cinctus, 1373
cotton, 258
Diuraphis noxia, 241, 493
Hordeum vulgare, 493
limabean pod borer, 821
modes of resistance, 241
plant age variations, 514
soybean, 821
Spodoptera exigua, 514
tomato fruitworm, 482
wheat, 1373
houseflies, pyrethroids, 894
resistance, 894
hydrocool, *Anastrepha suspensa*, 131
quarantine security, 131
hydrogen phosphide, *Mayetiola destructor*, 1266
quarantine, 1266
Hypothenemus obscurus, Macadamia nut, 120
postharvest control, 120
ice nucleating bacteria, cold-hardiness, 377
Leptinotarsa decemlineata, 377
Ichneumonidae, *Helicoverpa*, 929
Spodoptera, 929
impact, *Eucosma sonomana*, 144
mating disruption, 144
impatiens necrotic spot virus, thrips, 197
virus transmission, 197
inbred genotype, economic injury level, 458
European corn borer, 458

incubation, *Megachile rotundata*, 345
nest materials, 345
infusion, *Frankliniella* spp., 446
thrips, 446
insect control, *Diatraea saccharalis*, 1332
sugarcane stalkborers, 1332
insect defoliation, *Neodiprion gillettei*, 1038
Pinus ponderosa, 1038
insect fragments, horticulture, 181
tomato, 181
insect growth regulator, integrated pest management, 577
Leptinotarsa decemlineata, 577
insect growth-regulator control, *Lutzomyia longipalpis*, 1129
sand flies, 1129
insect mycosis, *Ascosphaera aggregata*, 350
Megachile rotundata, 350
insect pathogens, Environmental Protection Agency, 269
Reticulitermes, 269
insect resistance, *Epilachna varivestis*, 252
soybeans, 252
insect virus, *Lymantria dispar*, 361
optical brightener, 361
insect virus vectors, citrus tristeza virus, 1078
Toxoptera citricida, 1078
insecticide, aphid, 187
aphid behavior, 187
cultivar, 436
parasitoids, 1455
planting date, 436
tephritid, 1455
insecticide deposits, permethrin, 1400
spatial heterogeneity, 1400
insecticide resistance, *Aonidiella aurantii*, 1046
Aonidiella citrina, 1046
Aphis gossypii, 293
Bacillus thuringiensis, 535, 834
corn, 1165
cucurbit crops, 293
Frankliniella occidentalis, 1141
genetics, 301
greenbug, 1437
Helicoverpa armigera, 1165
Heliothis virescens, 551
heritability, 834
metapopulation, 525
Metaseiulus occidentalis, 525
plant defenses, 1423
Platynota idaeusalis, 1423
Plodia interpunctella, 535
residue test, 1141
Schizaphis graminum, 1437
Spodoptera frugiperda, 301
tobacco budworm, 551
insecticide resistance management, *Leptinotarsa decemlineata*, 847
potato, 847
insecticide tolerance, *Cacopsylla pyricola*, 858
diapause, 858
insecticide toxicity, *Megachile rotundata*, 311
nontarget effects, 311
integrated pest management, *Bacillus thuringiensis*, 1463
economics, 1463
expert system, 1384
insect growth regulator, 577
Leptinotarsa decemlineata, 577
potato, 1384
interspecific trapping, *Periplaneta americana*, 1027
Periplaneta fulginosa, 1027
Iridomyrmex glaber, *Coptotermes formosanus*, 705
semiochemicals, 705
irradiation, *Ceratitis capitata*, 904
pheromone, 904
irrigation, entomopathogenic nematodes, 643
Heterorhabditis bacteriophora, 643
isozyme, *Blattella germanica*, 541
esterase, 541
ivermectin, concentration-response, 573
Haematobia irritans exigua, 573
Japanese beetle, biological control, 605
entomopathogenic nematodes, 605
Popillia japonica, 775

subsurface placement, 162
traps, 775
turfgrass, 162
juvenile hormone mimic, pyriproxyfen, 1185
Trialeurodes vaporariorum, 1185
juvenoids, action thresholds, 1537
Blattella germanica, 1537
larval food, *Helicoverpa armigera*, 1749
pigeonpea, 1749
latilure, α-ionol, 1470
Bactrocera latifrons, 1470
leaf scorch, pear, 1608
Tetranychus urticae, 1608
leafminer, *Phyllonorycter elmaella*, 1441
resistance, 1441
Lepidoptera, adjuvant, 44
broccoli, 766
economic threshold, 766
feeding behavior, 409
Helicoverpa armigera, 1502
mating, 1502
mating disruption, 1198
phagostimulant, 44
pheromone, 1198
spruce budworm, 409
Leptinotarsa decemlineata, *Bacillus thuringiensis*, 1298
cold-hardiness, 377
consumption, 67
egg masses, 1298
entomopathogen, 67
ice nucleating bacteria, 377
insect growth regulator, 577
insecticide resistance management, 847
integrated pest management, 577
potato, 847
potato leaf
lesser grain borer, flight, 1714
stored-products, 1714
life history traits, *Ceratitis capitata*, 91
diets, 91
limabean pod borer, host plant resistance, 821
soybean, 821
Lipaphis erysimi, aphids, 1097
canola, 1097
Liriomyza, parasitism, 1070
population dynamics, 1070
Lissorhoptrus oryzophilus, carbofuran, 223
cultural control, 223, 1701, 1318
Oryza sativa, 476, 504
plant tolerance, 476
planting date, 1318
resistance, 504
rice, 1701
Lobesia botrana, artificial rearing, 84
nutrient balance, 84
lure, attractant, 1494
Ceratitis capitata, 1494
Dacus dorsalis, 957
structure-activity, 957
Lutzomyia longipalpis, insect growth-regulator control, 1129
sand flies, 1129
Lygus hesperus, strawberries, 1636
vacuum machines, 1636
Lymantria dispar, *Bacillus thuringiensis*, 1736
cytoplasmic polyhedrosis virus, 72
egg mass sampling, 1004
gypsy moth, 999, 1004
insect virus, 361
neem extract, 356
nuclear polyhedrosis virus, 72, 356
oak tannins, 1736
optical brightener, 361
sequential egg mass sampling, 999
sperm transfer, 661
sterility, 661
Lymantria dispar (L.), nuclear polyhedrosis virus, 134
optical brightener, 134
macadamia, *Cryptophlebia illepida*, 781
Cryptophlebia ombrodelta, 781
macadamia nut, feeding, 431
Hypothenemus obscurus, 120
Nezara viridula, 431
postharvest control, 120
maize, *Ostrinia nubilalis*, 1743
resistance, 1743
malathion resistance, esterase, 326
planthopper, 326
Mamestra configurata, *Bacillus thuringiensis*, 610

caffeine, 610
management, *Megachile rotundata*, 27
nesting, 27
mass rearing,
Anastrepha fruit flies, 176
demography, 176
pink bollworm, 1659
sooty mutant, 1659
mating, *Eoreuma loftini*, 1213
Helicoverpa armigera, *1502*
Lepidoptera, 1502
pheromone, 1213
mating disruption,
Eucosma sonomana, 144
impact, 144
Lepidoptera, 1198
pheromone, 1198
Mayetiola destructor,
biotypes, 1113
fumigation, 1272
hydrogen phosphide, 1266
quarantine, 1266, 1272
wheat breeding, 1113
Mediterranean fruit fly,
sterile insect technique, 653
suppression, 653
Megachile rotundata,
Ascosphaera aggregata, 350
incubation, 345
insect mycosis, 350
insecticide toxicity, 311
management, 27
nest materials, 345
nesting, 27
nontarget effects, 311
Melanocallis caryaefoliae, *Monellia caryella*, 951
probing behavior, 951
metabolism,
Helicoverpa, 1180
methyl parathion, 1180
metapopulation,
insecticide resistance, 525
Metaseiulus occidentalis, 525
Metaseiulus occidentalis,
insecticide resistance, 525
metapopulation, 525
methyl parathion,
Helicoverpa, 1180
metabolism, 1180
microbial control,
entomopathogenic fungi, 623
Solenopsis invicta, 623
microsporidia, biological control, 933
parasite, 933
midgut enzymes,
bioassays, 1754
Helicoverpa zea, 1754
migration, environmental parameters, 1351
postharvest management, 1351
mitochondrial DNA,
backcross sterility, 676
Heliothis, 676
mixed plantings,
Contarinia sorghicola, 826
nonpreference resistance, 826
modes of resistance,
Diuraphis noxia, 241
host plant resistance, 241
modified atmosphere,
controlled atmosphere, 752
fruit wax, 752
mollusca, corn, 1345
Deroceras reticulatum, 1345
Monellia caryella,
Melanocallis caryaefoliae, 951
probing behavior, 951
Monelliopsis pecanis,
Hippodamia convergens, 1632
toxicity, 1632
monitoring,
Campylomma verbasci, 1224
pheromone, 1224
Monomorium pharaonis,
fenoxycarb, 108
Pharaoh ant, 108
monoterpenoids, *Musca domestica*, 1172
Tribolium castaneum, 1172
Musca domestica, boric acid, 1033
dairy cattle, 402
monoterpenoids, 1172
polybor 3, 1033
poultry, 116
pyriproxyfen, 1407
resistance, 1407
Stomoxys calcitrans, 402
trapping, 116
Tribolium castaneum, 1172
Muscadine grape, grape root borer, 1058
Vitacea polistiformis, 1058
Myzus nicotianae,
resistance, 1157
tobacco aphid, 1157
natural insecticide,
Heliothis virescens, 305
nutritional index, 305
navel orangeworm,
Amyelois transitella (Walker), 1062
sunburn, 1062

neem, *Dendroctonus ponderosae*, 1580
translocation, 1580
neem extract, *Lymantria dispar*, 356
nuclear polyhedrosis virus, 356
Neodiprion gillettei, insect defoliation, 1038
Pinus ponderosa, 1038

nest materials, incubation, 345
Megachile rotundata, 345
nesting, management, 27
Megachile rotundata, 27
Nezara viridula, feeding, 431
macadamia nuts, 431
Nicotiana gossei, greenhouse pests, 1600
sucrose esters, 1600
nonpreference resistance, *Contarinia sorghicola*, 826
mixed plantings, 826
nontarget effects, insecticide toxicity, 311
Megachile rotundata, 311
Nosema apis, *Apis mellifera*, 601
fumagillin, 601
nuclear polyhedrosis virus, cytoplasmic polyhedrosis virus, 72
Lymantria dispar, 72, 356
Lymantria dispar (L.), 134
neem extract, 356
optical brightener, 134
nutrient balance, artificial rearing, 84
Lobesia botrana, 84
nutritional index, *Heliothis virescens*, 305
natural insecticide, 305
nymphs, behavior, 941
Blattella germanica, 941
oak tannins, *Bacillus thuringiensis*, 1736
Lymantria dispar, 1736
occurrence, biotype, 1696
greenbug, 1696
optical brightener, insect virus, 361
Lymantria dispar, 361
Lymantria dispar (L.), 134
nuclear polyhedrosis virus, 134
oral toxicity, *Anastrepha suspensa*, 589
topical toxicity, 589
organic matter, *Popillia japonica*, 1014
Steinernema glaseri, 1014
organophosphate insecticide, apple, 285
resistance, 285
Orgyia pseudotsugata, *Abies concolor*, 426
systemic insecticides, 426
Oryza sativa, *Lissorhoptrus oryzophilus*, 476, 504
plant tolerance, 476
resistance, 504
Ostrinia nubilalis, *Bacillus thuringiensis*, 631
maize, 1743
resistance, 1743
starch encapsulation, 631
Otiorhynchus ligustici, entomopathogenic nematodes, 917
Heterorhabditis bacteriophora, 917
overwintering, development, 1555
Stomoxys, 1555
oviposition, *Cryptophlebia illepida*, 1278
Cryptophlebia ombrodelta, 1278
panel traps, attractant, 1217
Ceratitis capitata, 1217
Panonychus ulmi, acaricides, 148
economic injury level, 1302
fruit quality, 1302
petroleum oil, 148
parasite, biological control, 933
microsporidia, 933
parasitism, *Liriomyza*, 1070
population dynamics, 1070
parasitoid, dispersal, 975
tephritid, 975
parasitoids, *Bemisia tabaci*, 842
Encarsia, 842
insecticides, 1455
tephritid, 1455
pear, leaf scorch, 1608
Tetranychus urticae, 1608
Pectinophora gossypiella, capture time, 986
cotton, 965
gossyplure, 680
pheromone trap, 986
sterile insect

technique, 680
temperature, 965
Pemphigus betae,
economic injury level, 465
root rating, 465
Periplaneta americana,
interspecific trapping, 1027
Periplaneta fulginosa, 1027
Periplaneta fulginosa,
interspecific trapping, 1027
Periplaneta americana, 1027
permethrin, dichlorvos, 275
insecticide deposits, 1400
spatial heterogeneity, 1400
Stomoxys calcitrans, 275
pesticide, Acari, 559
behavior, 559
Coccinellidae, 583
Colorado potato beetle, 723
crop rotation, 723
predation efficiency, 583
petroleum oil, acaricides, 148
Panonychus ulmi, 148
phagostimulant, adjuvant, 44
Lepidoptera, 44
Pharaoh ant, fenoxycarb, 108
Monomorium pharaonis, 108
Phaseolus, *Apis mellifera*, 596
honey bee, 596
phenology, cranberries, 193
Tortricidae, 193
pheromone, *Apis mellifera*, 1595
Campylomma verbasci, 1224
Carpophilus, 667
Ceratitis capitata, 904
dose, 667
electroantennogram, 1477
Eoreuma loftini, 1213
Epiphyas postvittana, 1477
irradiation, 904
Lepidoptera, 1198
mating, 1213
mating disruption, 1198
monitoring, 1224
pollination, 1595
pheromone trap, capture time, 986
Pectinophora gossypiella, 986
phosphine, diagnostic dose, 546
fumigant, 546
Phthorimaea operculella,
Chrysodeixes (Plusia) chalcites, 923
European corn borer, 1122
Heliothis armigera, 923
transgenic potato, 1122
Phyllocoptruta oleivora,
dicofol, 566
dispersion, 687
populations, 1507
resistance, 566
sampling, 687, 1507
Phyllonorycter elmaella,
bioassay, 1450
leafminer, 1441
resistance, 1441, 1450
physiological resistance, behavioral resistance, 885
Blattella germanica, 885
physiological response, beef heifers, 1564
Haematobia irritans, 1564
phytotoxicity,
Anastrepha ludens, 1574
quarantine, 1574
pigeonpea, *Helicoverpa armigera*, 1749
larval food, 1749
pink bollworm, mass rearing, 1659
sooty mutant, 1659
Pinus ponderosa, insect defoliation, 1038
Neodiprion gillettei, 1038
pirimiphos-methyl, corn, 810
degradation, 810
Pissodes strobi, artificial diet, 96
rearing, 96
plant age variations, host plant resistance, 514
Spodoptera exigua, 514
plant defenses, insecticide resistance, 1423
Platynota idaeusalis, 1423
plant growth regulator, boll weevil, 1647
desiccant, 1647
plant resistance, aphids, 231
corn, 1105
cotton, 1726
Diatraea grandiosella, 1105
Diuraphis noxia, 1761
pubescence, 231

Schizaphis graminum, 1366
sorghum, 1366
strawberries, 817
Tetranychus urticae, 817, 1726
wheat, 1761
plant tolerance, *Lissorhoptrus oryzophilus*, 476
Oryza sativa, 476
planthopper, esterase, 326
malathion resistance, 326
planting date, cultivar, 436
cultural control, 1318
insecticides, 436
Lissorhoptrus oryzophilus, 1318
plastic trench barrier, Colorado potato beetle, 1325
potato, 1325
Platynota idaeusalis, insecticide resistance, 1423
plant defenses, 1423
Plodia interpunctella, *Bacillus thuringiensis*, 535
insecticide resistance, 535
Plutella xylostella, radiation, 1190
reproductive ability, 1190
Podisus spp., predation, 76
Spodoptera exigua, 76
pollination, *Apis mellifera*, 1595
pheromone, 1595
polybor 3, boric acid, 1033
Musca domestica, 1033
Popillia japonica, Japanese beetle, 775
organic matter, 1014
Steinernema glaseri, 1014
traps, 775
population, *Chironomus riparius*, 318
fitness, 318
Phyllocoptruta oleivora, 1507
sampling, 1507
population dynamics, *Contarinia sorghicola*, 993
Liriomyza, 1070
parasitism, 1070
simulation model, 993
postharvest control, *Hypothenemus obscurus*, 120
Macadamia nut, 120
postharvest management, environmental parameters, 1351
migration, 1351
potato, Colorado potato beetle, 1325
expert system, 1384
insecticide resistance management, 847
integrated pest management, 1384
Leptinotarsa decemlineata, 847
plastic trench barrier, 1325
potato leaf consumption, entomopathogen, 67
Leptinotarsa decemlineata, 67
poultry, *Musca domestica*, 116
trapping, 116
predation, *Podisus* spp., 76
Spodoptera exigua, 76
predation efficiency, Coccinellidae, 583
pesticides, 583
preferential feeding, *Tipula oleracea* L., 101
trypan-blue, 101
probing behavior, *Melanocallis caryaefoliae*, 951
Monellia caryella, 951
protease, *Heliothis*, 334
tannic acid, 334
protein baits, *Anastrepha*, 1008
Ceratitis capitata, 1008
Prunus spp., *Cydia pomonella*, 730
fumigation, 730
quarantine, 747
Rhagoletis completa, 747
Pseudotsuga, cone and seed insects, 758
seed production, 758
pteromalid parasitoids, confined cattle, 714
stable fly, 714
pubescence, aphids, 231
plant resistance, 231
pyrethrins resistance, *Blattella germanica*, 280
gene frequency, 280
pyrethroids, *Blattella germanica*, 879
houseflies, 894
resistance, 879, 894
pyriproxyfen, *Bemisia tabaci*, 866
buprofezin, 866
juvenile hormone mimic, 1185
Musca domestica, 1407
resistance, 1407
Trialeurodes vaporariorum, 1185
quarantine, *Anastrepha*

ludens, 1574
Anastrepha suspensa, 736
Coccus viridis, 1569
fumigation, 1272
heat, 736
hydrogen phosphide, 1266
Mayetiola destructor, 1266, 1272
phytotoxicity, 1574
Prunus spp., 747
Rhagoletis completa, 747
thermal death, 1569
quarantine security, *Anastrepha suspensa*, 131
hydrocool, 131
quarantine treatment, *Anastrepha suspensa*, 405
avocado, 127
Bactrocera tryoni, 127, 1256
gamma irradiation, 1256
heat tolerance, 405
radiation, *Plutella xylostella*, 1190
reproductive ability, 1190
rearing, artificial diet, 96
Pissodes strobi, 96
release–recapture, *Ceratitis capitata*, 1377
trimedlure, 1377
repetitive DNA, DNA probes, 741
Tephritidae, 741
reproduction, *Anastrepha ludens*, 202
cyromazine, 202
reproductive ability, *Plutella xylostella*, 1190
radiation, 1190
reproductive biology, *Eoreuma loftini*, 371
spermatophore, 371
residue test, *Frankliniella occidentalis*, 1141
insecticide resistance, 1141
resistance, abamectin, 899
apple, 285
Bacillus sphaericus, 1133
bioassay, 1450
Blattella germanica, 879
Culex quinquefasciatus, 1133
dicofol, 566
esterase, 1430
fenvalerate, 872
German cockroach, 899
Heliothis virescens, 872
houseflies, 894
leafminer, 1441
Lissorhoptrus oryzophilus, 504
maize, 1743
Musca domestica, 1407
Myzus nicotianae, 1157
organophosphate insecticide, 285
Oryza sativa, 504
Ostrinia nubilalis, 1743
Phyllocoptruta oleivora, 566
Phyllonorycter elmaella, 1441, 1450
pyrethroids, 879, 894
pyriproxyfen, 1407
Schizaphis graminum, 500, 1430
selection, 1147
soybean looper, 1416
synergism, 1416
temperature, 500
tobacco aphid, 1157
whiteflies, 1147
resistance-tolerance, *Fragaria*, 168
Tetranychus urticae, 168
Reticulitermes, Environmental Protection Agency, 269
insect pathogens, 269
Reticulitermes flavipes, bait toxicant, 398
Coptotermes formosanus, 398
Rhagoletis completa, *Prunus* spp., 747
quarantine, 747
Rhopobota naevana, cranberry, 787
Rhyzopertha dominica, *Sitophilus oryzae*, 1707
wheat, 1707
rice, cultural control, 1701
Lissorhoptrus oryzophilus, 1701
root rating, economic injury level, 465
Pemphigus betae, 465
sampling, *Bacillus thuringiensis*, 1022
Choristoneura occidentalis, 1022
dispersion, 687
Diuraphis noxia, 1237
Phyllocoptruta oleivora, 687, 1507
populations, 1507
small grains, 1237
sand flies, insect growth-regulator control, 1129
Lutzomyia

longipalpis, 1129
Schizaphis graminum,
esterase, 1430
greenbug, 1437
insecticide resistance, 1437
plant resistance, 1366
resistance, 500, 1430
sorghum, 1366
temperature, 500
Scolytidae,
4-allylanisole, 1586
antiaggregation behavior, 1586
seed production, cone and seed insects, 758
Pseudotsuga, 758
selection, resistance, 1147
whiteflies, 1147
semiochemicals,
Coptotermes formosanus, 705
Iridomyrmex glaber, 705
sequential egg mass sampling, gypsy moth, 999
Lymantria dispar, 999
sequential sampling,
Diuraphis noxia, 1230
spatial distribution, 1230
silage, economic injury levels, 1086
western corn rootworm, 1086
simulation model,
Contarinia sorghicola, 993
population dynamics, 993
Sitophilus oryzae,
Rhyzopertha dominica, 1707
wheat, 1707
Sitophilus zeamais, corn, 1359
Tribolium castaneum, 1359
small grains, binomial sequential sampling, 1513
Diuraphis noxia, 1237, 1513
sampling, 1237
soil insects, corn insects, 220
white grubs, 220
Solenopsis invicta,
entomopathogenic fungi, 623
microbial control, 623
sooty mutant, mass rearing, 1659
pink bollworm, 1659
sorghum, plant resistance, 1366
Schizaphis graminum, 1366
southern corn rootworm,
cover crops, 1683
Diabrotica undecimpunctata howardi, 1683
soybean, *Epilachna varivestis*, 252
host plant resistance, 821
insect resistance, 252
limabean pod borer, 821
soybean looper,
resistance, 1416
synergism, 1416
spatial distribution,
Diuraphis noxia, 1230
sequential sampling, 1230
spatial heterogeneity,
insecticide deposits, 1400
permethrin, 1400
sperm transfer,
Lymantria dispar, 661
sterility, 661
spermatophore, *Eoreuma loftini*, 371
reproductive biology, 371
Spodoptera,
Helicoverpa, 929
Ichneumonidae, 929
Spodoptera exigua, host plant resistance, 514
plant age variations, 514
Podisus spp., 76
predation, 76
Spodoptera frugiperda,
Agrotis ipsilon, 366
genetics, 301
insecticide resistance, 301
Steinernema carpocapsae, 366
spruce budworm, feeding behavior, 409
Lepidoptera, 409
stable fly, confined cattle, 714
pteromalid parasitoids, 714
starch encapsulation,
Bacillus thuringiensis, 631
Ostrinia nubilalis, 631
Steinernema carpocapsae, *Agrotis ipsilon*, 366
Spodoptera frugiperda, 366
Steinernema glaseri,
organic matter, 1014
Popillia japonica, 1014
sterile insect technique,
gossyplure, 680
Mediterranean fruit fly, 653
Pectinophora gossypiella, 680

suppression, 653
sterility, *Lymantria dispar*, 661
sperm transfer, 661
Stomoxys, development, 1555
overwintering, 1555
Stomoxys calcitrans, dairy cattle, 402
dichlorvos, 275
Musca domestica, 402
permethrin, 275
stored-products, flight, 1714
lesser grain borer, 1714
strawberries, *Lygus hesperus*, 1636
plant resistance, 817
Tetranychus urticae, 817
vacuum machines, 1636
structure-activity, *Dacus dorsalis*, 957
lures, 957
subsurface placement, Japanese beetle, 162
turfgrass, 162
sucrose, aphid, 15
control, 15
sucrose esters, greenhouse pests, 1600
Nicotiana gossei, 1600
sugarcane stalkborers, *Diatraea saccharalis*, 1332
insect control, 1332
sunburn, *Amyelois transitella* (Walker), 1062
navel orangeworm, 1062
suppression, Mediterranean fruit fly, 653
sterile insect technique, 653
suppression tactics, *Dendroctonus frontalis*, 417
dispersal, 417
sweet potato, biology, 802
Conoderus rudis, 802
synergism, resistance, 1416
soybean looper, 1416
systemic insecticides, *Abies concolor*, 426
Orgyia pseudotsugata, 426
Tagetes minuta, extracts, 1718
Zabrotes subfasciatus, 1718
tannic acid, *Heliothis*, 334
protease, 334
temperature, cotton, 965
Pectinophora gossypiella, 965
resistance, 500
Schizaphis graminum, 500
tephritid, dispersal, 975
insecticides, 1455
parasitoid, 975, 1455
Tephritidae, DNA probes, 741
repetitive DNA, 741
Tetranychus urticae, cotton, 1726
cotton, 1665
Fragaria, 168
leaf scorch, 1608
pear, 1608
plant resistance, 817, 1726
resistance-tolerance, 168
strawberries, 817
within-plant distribution, 1665
thermal death, *Coccus viridis*, 1569
quarantine, 1569
thrips, acephate, 1627
cowpea, 1627
Frankliniella spp., 446
impatiens necrotic spot virus, 197
infusion, 446
virus transmission, 197
Thrips obscuratus, controlled atmosphere, 1251
disinfestation, 1251
Tipula oleracea L., preferential feeding, 101
trypan-blue, 101
tobacco aphid, Myzus nicotianae, 1157
resistance, 1157
tobacco budworm, baculovirus, 53
cotton bollworm, 53
Heliothis virescens, 551
insecticide resistance, 551
tobacco thrips, binomial sampling, 1622
Frankliniella spp., 1622
tolerance, 6-methoxy-2-benzoxazolinone, 647
Contarinia schulzi, 245
Diabrotica virgifera virgifera, 647
Helianthus, 245
tomato, horticulture, 181
insect fragments, 181
tomato fruitworm, beet armyworm, 482
host plant resistance, 482
tomato mottle geminivirus, *Bemisia tabaci*, 1285
tomato yellow leaf curl virus, 1285
tomato yellow leaf curl

geminivirus, *Bemisia tabaci*, 1291
transmission, 1291
tomato yellow leaf curl virus, *Bemisia tabaci*, 1285
tomato mottle geminivirus, 1285
topical toxicity, *Anastrepha suspensa*, 589
oral toxicity, 589
Tortricidae, cranberries, 193
phenology, 193
toxic baits, boron compounds, 1534
ectoparasites, 1534
toxicity, *Blattella germanica*, 709
carbon dioxide, 709
Hippodamia convergens, 1632
Monelliopsis pecanis, 1632
Toxoptera citricida, citrus tristeza virus, 1078
insect virus vectors, 1078
transgenic potato, European corn borer, 1122
Phthorimea operculella, 1122
translocation, *Dendroctonus ponderosae*, 1580
neem, 1580
transmission, *Bemisia tabaci*, 1291
tomato yellow leaf curl geminivirus, 1291
trap, *Helicoverpa zea*, 793
Heliothis virescens, 793
Japanese beetle, 775
Popillia japonica, 775
trapping, behavior, 103
Cydia pomonella, 103
Musca domestica, 116
poultry, 116
Trialeurodes vaporariorum, juvenile hormone mimic, 1185
pyriproxyfen, 1185
Tribolium castaneum, corn, 1359
monoterpenoids, 1172
Musca domestica, 1172
Sitophilus zeamais, 1359
trimedlure, *Ceratitis capitata*, 1377
release–recapture, 1377
trypan-blue, preferential feeding, 101
Tipula oleracea L., 101
turfgrass, Japanese beetle, 162
subsurface placement, 162
vacuum machines, *Lygus hesperus*, 1636
strawberries, 1636
vegetable oil, *Acarapis woodi*, 910
Apis mellifera, 910
Vespidae, central Appalachian broadleaf forest, 1488
diflubenzuron, 1488
virus transmission, impatiens necrotic spot virus, 197
thrips, 197
Vitacea polistiformis, grape root borer, 1058
Muscadine grape, 1058
water deficit, *Acyrthosiphon pisum*, 1689
alfalfa, 1689
western corn rootworm, economic injury levels, 1086
silage, 1086
wheat, *Cephus cinctus*, 1373
Diuraphis noxia, 1761
host plant resistance, 1373
plant resistance, 1761
Rhyzopertha dominica, 1707
Sitophilus oryzae, 1707
wheat breeding, biotypes, 1113
Mayetiola destructor, 1113
white grubs, corn insects, 220
soil insects, 220
whiteflies, resistance, 1147
selection, 1147
within-plant distribution, cotton, 1665
Tetranychus urticae, 1665
wood preservative, *Coptotermes formosanus*, 1547
disodium octaborate tetrahydrate, 1547
Zabrotes subfasciatus, extracts, 1718
Tagetes minuta, 1718